

Dorik

by Odosdesign

Pillars of Mediterranean design

Undeniably Mediterranean in origin, Dorik finds its inspiration in the grandeur of the classical columns of ancient Greek Doric architecture. Sculpted in harmonious proportions to feature intricate details and refined textures, Dorik tables bring a timeless elegance to any room. Manufactured using the rotational moulding technique, the resulting pieces are able to stand on a single leg, which allows them to be expanded in the use of several columns in order to extend their use, for example to form distinguished meeting tables.

Technical data	
Program of tables	3
Features & functionalities	4
Finishes available	6
Optional complements	7
Packs, weights & volumes	8
Ecodesign	9
Regulations & EPD	9
Certificates	9
Access to wiring and connections	10



Program of tables

Contract tables · Height 74 cm

SC

39 cm

72,1 cm

40 cm

DR1S020040C

SC

70 cm

70 cm

DR1T027070J

SC

80 cm

80 cm

DR1T028080J

SC

Ø 80 cm

DR1T030080J

SC

Ø 100 cm

DR1T030100J

Meeting tables · Height 74 cm

SC

Ø 120 cm

72 cm

55 cm

DR1G030120C

SC

Ø 140 cm

73,2 cm

55 cm

DR1G030140C

SC

Ø 160 cm

73,2 cm

55 cm

DR1G030160C

SC

Ø 120 cm

SC

Ø 140 cm

SC

Ø 160 cm

Meeting tables · Height 74 cm

100 cm width

SC QC RC

220 cm

75 cm

40 cm

40 cm

220 cm

100 cm

DR1G042210C

120 cm width

SC QC RC

240 cm

75 cm

40 cm

40 cm

240 cm

120 cm

DR1G042412C

SC QC RC

320 cm

75 cm

40 cm

40 cm

40 cm

320 cm

120 cm

DR1G043212C

SC QC RC

360 cm

75 cm

40 cm

40 cm

40 cm

360 cm

120 cm

DR1G043612C

140 cm width

SC

277 cm

75 cm

55 cm

55 cm

277 cm

140 cm

DR1G042714C

SC QC RC

374 cm

75 cm

55 cm

55 cm

55 cm

374 cm

140 cm

DR1G043714C

SC QC RC

414 cm

75 cm

55 cm

55 cm

55 cm

414 cm

140 cm

DR1G044114C

Coffee tables · Height 35 cm

49 cm

31,5 cm

49 cm

DR1S010049A

Ø 80 cm

DR1T010080K

Ø 100 cm

DR1T010100K

Ø 120 cm

DR1T010120K

Contract tables · Height 105 cm

SC

39 cm

103,1 cm

37 cm

DR1S020036D

SC

60 cm

60 cm

DR1T026060J

SC

Ø 60 cm

DR1T030060J

SC

Ø 80 cm

DR1T030080J

SC QC RC

220 cm

41 3/4"

37 cm

37 cm

220 cm

100 cm

DR1G042210D

Technical profile

Dorik · Contract tables height 74 cm · Column height 72,1 cm and diameter 40 cm



Available desk-top dimensions



70 x 70 cm
80 x 80 cm



Ø 80 cm
Ø 100 cm

- 1 Column made of polyethylene by rotational moulding with an average thickness of 6 mm. Available in different finishes.
- 2 Black injected polypropylene (PP) levellers.
- 3 Inner counterweight of 60 kg. Three bags of soil to be ordered separately.
- 4 Structure realized in sheet steel of 3 mm of thickness, like support of the work surface. Black finish.



OUTDOOR

Option available for outdoor use, **provided the desk-top finishes is in compact laminate or Dekton®** and does not have electrical accessories.

Dorik · Meeting tables height 74 cm · Column height 70,5 cm and diameter 55 cm



Available desk-top dimensions



Ø 120 cm

- 1 Column made of polyethylene by rotational moulding with an average thickness of 6 mm. Available in different finishes.
- 2 Black injected polypropylene (PP) levellers.
- 3 Inner counterweight of 80 kg. Four bags of soil to be ordered separately.
- 4 Structure realized in sheet steel of 3 mm of thickness, like support of the work surface. Black finish
- 5 Work top surface included in the reference, offered in different finishes.



OUTDOOR

Option available for outdoor use, **provided the desk-top finishes is in compact laminate or Dekton®** and does not have electrical accessories.



Available desk-top dimensions



Ø 140 cm
Ø 160 cm

- 1 Column made of polyethylene by rotational moulding with an average thickness of 6 mm. Available in different finishes.
- 2 Black injected polypropylene (PP) levellers.
- 3 Inner counterweight of 80 kg. Four bags of soil to be ordered separately.
- 4 Structure realized in melamine board of 16 mm of thickness, like support of the work surface. Black finish
- 5 Work top surface included in the reference, offered in different finishes.

Dorik · Meeting tables height 74 cm · Two columns



Available desk-top dimensions



220 x 120 cm
240 x 120 cm

277 x 140 cm

- 1 Column made of polyethylene by rotational moulding with an average thickness of 6 mm. Available in different finishes.
- 2 Black injected polypropylene (PP) levellers.
- 3 Inner counterweight of 60 kg per column, a total counterweight of 120 kg. Six bags of soil to be ordered separately.
- 4 Structure realized in melamine board of 16 mm of thickness, like support of the work surface. Black finish
- 5 Work top surface included in the reference, offered in different finishes.

Technical profile

Dorik · Meeting tables height 74 cm · Three columns



Available desk-top dimensions



320 x 120 cm
360 x 120 cm

374 x 140 cm
414 x 140 cm

- 1 Column made of polyethylene by rotational moulding with an average thickness of 6 mm. Available in different finishes.
- 2 Black injected polypropylene (PP) levellers.
- 3 Inner counterweight of 60 kg per column, a total counterweight of 120 kg. Six bags of soil to be ordered separately.
- 4 Structure realized in melamine board of 16 mm of thickness, like support of the work surface. Black finish
- 5 Work top surface included in the reference, offered in different finishes.

Dorik · Coffee table height 35 cm · Column height 331 mm and diameter 49 cm



Available desk-top dimensions



Ø 80 cm
Ø 100 cm
Ø 120 cm

- 1 Column made of polyethylene by rotational moulding with an average thickness of 6 mm. Available in different finishes.
- 2 Black injected polypropylene (PP) levellers.
- 3 Inner counterweight of 40 kg. Two bags of soil to be ordered separately.
- 4 Structure realized in sheet steel of 3 mm of thickness, like support of the work surface. Black finish



OUTDOOR

Option available for outdoor use, **provided the desk-top finishes is in compact laminate or Dekton®** and does not have electrical accessories.

Dorik · Contract tables height 105 cm · Column height 103,1 cm and diameter 37 cm



Available desk-top dimensions



60 x 60 cm



Ø 60 cm
Ø 80 cm

- 1 Column made of polyethylene by rotational moulding with an average thickness of 6 mm. Available in different finishes.
- 2 Black injected polypropylene (PP) levellers.
- 3 Inner counterweight of 60 kg. Three bags of soil to be ordered separately.
- 4 Structure realized in sheet steel of 3 mm of thickness, like support of the work surface. Black finish



OUTDOOR


Option available for outdoor use, **provided the desk-top finishes is in compact laminate or Dekton®** and does not have electrical accessories.

Finishes available

Desk-top


MFC · Thickness: 19 mm with straight edge

Chipboard with melamine surface in different finishes with a thickness of 19 mm.




Compact Laminate · Thickness: 10 mm with bevelled edge

10 mm thick compact board made of wood fibres.With white or decorated high pressure laminate and bevelled edge.




MDF · Thickness: 19 mm with bevelled edge

Medium density fibreboard laminated with natural wood in oak finish with a thickness of 19 mm and with a bevelled edge



Dekton® · Thickness: 12 mm with bevelled edge

DEKTON® by Consentino, The Technical Ultracompact Stone, a sophisticated blend of raw materials used to manufacture state-of-the-art porcelain tiles. 12 mm thickand bevelled edge.



STRUCTURE

Polythene



Available complements

Integrated electrical conduit



Electrified column with an inner tube made of steel with a diameter of1 40 mm and bolted to the bottom of the column.

Electrification of meeting tables with 2 columns



Integrated electrical management consisting of an electrified column and an electrification trunking connecting the two columns. One of the two columns is electrified with an inner tube made of steel with a diameter of 40 mm and bolted to the bottom of the column. The electrification tray is made of folded sheet steel with a thickness of 3 mm.

Electrification of meeting tables with 2 columns



Integrated electrical management consisting of an electrified column and a two cables tray connecting the three columns. One of the three columns is electrified with an inner tube made of steel with a diameter of 40 mm and bolted to the bottom of the column. The electrification tray is made of folded sheet steel with a thickness of 3 mm.

Combination of integrated electrification tray finishes

Structure	Structure	
White	Mink	Black
Electrification tray	Electrification tray	
White	Black	

Packs, weights & volumes

Columns		Packs	Weights	Volumes
DRIS010040C Contract tables Height 74 cm		2	8,2 kg	0,133 m ³
DRIS010055CL Meeting tables Height 74 cm		2	11,97 kg	0,245 m ³
DRIS010055CN Meeting tables Height 74 cm		2	13 kg	0,259 m ³
DRIS010055CP Meeting tables Height 74 cm		2	15,49 kg	0,268 m ³
DRIS011969C Meeting tables Height 74 cm		3	22,77 kg	0,274 m ³
DRIS010049A Coffee tables Height 35 cm		2	8,37 kg	0,152 m ³
DRIS010036D Contract tables Height 105 cm		2	9 kg	0,160 m ³

Desk-top	Type of desk-top	Packs	Weights	Volumes
DRIT026060J 60 x 60 cm	MFC	1	4,31 kg	0,007 m ³
	Compact Laminate		3,60 kg	0,004 m ³
	Dekton®		10,80 kg	0,005 m ³
DRIT030060J Ø 60 cm	MFC	1	3,38 kg	0,007 m ³
	Compact Laminate		2,83 kg	0,004 m ³
	Dekton®		8,48 kg	0,005 m ³
DRIT027070J 70 x 70 cm	MFC	1	5,87 kg	0,010 m ³
	Compact Laminate		4,90 kg	0,005 m ³
	Dekton®		14,70 kg	0,006 m ³
DRIT028080J 80 x 80 cm	MFC	1	7,66 kg	0,013 m ³
	Compact Laminate		6,40 kg	0,007 m ³
	Dekton®		19,20 kg	0,008 m ³
DRIT030080J DRIT010080K Ø 80 cm	MFC	1	6,01 kg	0,013 m ³
	Compact Laminate		5,02 kg	0,007 m ³
	MDF		7,16 kg	0,013 m ³
	Dekton®		15,0 kg	0,008 m ³
DRIT030100J DRIT010100K Ø 100 cm	MFC	1	9,40 kg	0,015 m ³
	Compact Laminate		7,85 kg	0,008 m ³
	MDF		11,19 kg	0,015 m ³
	Dekton®		23,55 kg	0,010 m ³
DRIT010120K Ø 120 cm	MFC	1	13,53 kg	0,022 m ³
	Compact Laminate		11,30 kg	0,012 m ³
	MDF		16,11 kg	0,022 m ³
	Dekton®		33,91 kg	0,014 m ³
DRIT030140L Ø 140 cm	MFC	1	18,42 kg	0,030 m ³
	Compact Laminate		15,39 kg	0,016 m ³
	MDF		21,93 kg	0,030 m ³
DRIT030160L Ø 160 cm	MFC	1	24,05 kg	0,039 m ³
	Compact Laminate		20,10 kg	0,021 m ³
	MDF		28,64 kg	0,039 m ³
DRIT042412L 240 x 120 cm	MFC	1	30,77 kg	0,055 m ³
	Compact Laminate		48,84 kg	0,029 m ³
	MDF		36,63 kg	0,055 m ³



COFFEE TABLES

DORIK INDEX

FINISHES



Ecodesign

Recycled materials	-
Production	100%
Transportation	100%
Uso	Very easy
Disposal	-


Recycled materials: Maximum use of materials to eliminate waste and minimize residues. Use of recyclable materials and recycled materials in components that do not affect functionality and durability. **Production:** Maximum optimization of energy use. Minimum environmental impact. State-of-the-art technological systems. Zero wastewater discharge. VOC-free coatings. Processes free of heavy metals, phosphates, OC and COD. **Transport:** Dismountable systems. Volumes that facilitate space optimization. Maximum reduction of energy consumption for transport. **Use:** Quality and guarantee. Long useful life. Possibility of substitution and replacement of elements. **Disposal:** Waste reduction. Reuse system of supplier-manufacturer packaging. Easy separation of components. Solvent-free water-based printing inks on packaging.

Regulations & EPD

Dorik has passed the tests carried out in our laboratory and the tests performed at the Instituto Tecnológico del Mueble (AIDIMME) corresponding to the standards:

Regulations	Description
UNE-EN 15372:2024	Furniture. Strength, durability and safety. Requirements for non-domestic tables.





Certificates



Awards



Access to wiring and connections

WIRING ACCESS <div>S</div>	WIRING ACCESS <div>Q</div>	WIRING ACCESS <div>R</div>	
			
	MAXIMUM OPENING 110°.	MAXIMUM OPENING 180°.	MAXIMUM OPENING 110°.
Surface-mounted wiring access, with easy surface access and reduced dimensions. The S-outlet access is the epitome of compact versatility, making it possible to combine 1 power socket and USB Type A and Type C connections in standard charging for mobile devices and tablets. Not compatible for outdoor use. Dimensions: Ø 70 mm	Black aluminum injected frame. Aluminum injected cover. Aluminum guides for adjustment according to the thickness of the surface between 13 and 30 mm. Dimensions: 305 x 121 mm.	MFC cover with the same finish as the surface. Black bristle brush. Black aluminum injected frame. Aluminum guides for adjustment according to the thickness of the surface between 13 and 30 mm. Complete 180° opening by means of hinges. Dimensions: 305 x 121 mm.	COMPACT LAMINATE cover with the same finish as the surface. Black bristle brush. Black aluminum injected frame. Aluminum guides for adjustment according to the thickness of the surface 10 mm. Dimensions: 305 x 121 mm.

- The models that incorporate these accesses in a standardized way show the corresponding icon or icons together with their reference.
- The price of the tables with WIRING access will be increased for each unit incorporated, according to the price indicated in the attached table.
- To request other tables with access to wiring that do not have standardized outlets (they will not contain any icon), please consult with the sales department.
- To request a table with access above the wiring, the following coding must be added at the end of the requested reference, according to its placement.

CENTERED ACCESS
<div>SCQCRC</div>

Combinations of finishes offered

SURFACE AND STRUCTURE FINISHES		COMBINATIONS OF FINISHES OFFERED		
Surface	Structure	Q WIRING ACCES	R WIRING ACCES	
MFC · WHITE	WHITE	WHITE	MFC · WHITE	
	MINK			
	BLACK			
MFC · COCO GREY	WHITE	WHITE	MFC · COCO GREY	
	MINK	BLACK		
	BLACK	BLACK		
MFC · LIME OAK	WHITE	WHITE	MFC · LIME OAK	
	MINK	BLACK		
	BLACK	BLACK		
MFC · LIGHT OAK	WHITE	WHITE	MFC · LIGHT OAK	
	MINK	BLACK		
	BLACK	BLACK		
MFC · CHESTNUT	WHITE	WHITE	MFC · CHESTNUT	
	MINK	BLACK		
	BLACK	BLACK		
MFC · DARK OAK	WHITE	BLACK	MFC · DARK OAK	
	MINK			
	BLACK			
MDF · BLACK ANTI-FINGERPRINT	WHITE	BLACK	MDF · NEGRO ANTI-FINGERPRINT	
	MINK			
	BLACK			
COMPACT LAMINATE · TRAFFIC WHITE	WHITE	WHITE	COMPACT LAMINATE · TRAFFIC WHITE	
	MINK			
	BLACK			
COMPACT LAMINATE · MARMO OLIMPO	WHITE	WHITE	COMPACT LAMINATE · MARMO OLIMPO	
	MINK			
	BLACK			
COMPACT LAMINATE · PULPIS LIGHT	WHITE	WHITE	COMPACT LAMINATE · PULPIS LIGHT	
	MINK	BLACK		
	BLACK	BLACK		
COMPACT LAMINATE · SAMAS BLACK	WHITE	BLACK	COMPACT LAMINATE · SAMAS BLACK	
	MINK			
	BLACK			
COMPACT LAMINATE · LUSERNA GRIT	WHITE	WHITE	COMPACT LAMINATE · LUSERNA GRIT	
	MINK	BLACK		
	BLACK	BLACK		


***** **Important note:** The combination of the accesses with wiring is carried out as follows (If in any of the cases it is desired that the electrification output be in a different finish than the one established, the client must expressly indicate it in the order).

Superior cable access location to cabling and connections


Meeting tables

Centered access


SC




SC



QC RC



SC



QC RC

