

# Ogi W Bench

## bench desk

### Technical Data

- Worktop - MFC 28 mm, ABS edge 2 mm;
- Frame - W: natural wood - ash, coated with transparent varnish, with metal element, powder-coated, profile 40 x 40 mm, spacer 10 mm between top and frame;
- Option with extra charge - managerial cabinet: top - MFC 28 mm, ABS edge 2 mm, shelf - MFC 18 mm, protection against accidental falling-out, ABS edge 2 mm, drawer - MFC 18 mm, ABS edge 2 mm, patent lock - possible to change location, base - MFC 18 mm, ABS edge 2 mm, front - MFC 18 mm, ABS edge 2 mm, leveling feet - range 5 mm; option with extra charge: cable grommets - Ø80 mm, central lock - foldable key, metal drawer - roll runners, max load 25 kg, 80% extension, anti-tilt mechanism, suspension files drawer - with bottom, ball runners, max load 45 kg, 100% extension, Push-to-Open, drawer with bottom - ball runners, max load 40 kg, 100% extension, push-to-open, enough space for computer; universal (left / right);
- Options with extra charge: grommet - 2 pcs, Ø 88 mm; mediabox M14 - plastic frame, 2 x RJ45 (class E, cat. 6); + 1 x USB + 4 x 230V, dimensions: 305x155x150 mm, power cord: 2000 mm; mediabox M071 - 1 x 230V + 1 x USB A charger + 1 x USB C charger, colours: black or white, mounted instead of the existing grommet Ø88 mm (PK80); top access M15 - plastic frame, dimensions: 292x112x18 mm; mediabox M04 - aluminium frame, 4 x 230V, 2 x RJ45, 1 x USB, power cord 2 m; top access M05 - aluminium frame;
- Options with extra charge: horizontal cable tray S69 - powder-coated, horizontal cable tray E64 - powder-coated, cable tray for bench desks (SG220, SG260) - steel wire Ø4 mm, powder-coated;
- Edges can be attached using laser technology or PUR glue - please contact Customer Service if tender or project guidelines require laser edging.
- Made in Poland, EU

### Selected configuration

#### BOW32

**Height:** 740 mm

**Width:** 1200 mm

**Length:** 1610 mm

**Colour of the tabletop:** Honey oak

### Guarantee

.mdd products - 5 years.

Electrical components - 2 years.

### Assembly manuals



### Certificates



**Colour of the top edging:** Honey oak

**Colour of the frame:** Black semi-matt RAL 9005

**Cable management:** No cable ways

**Colour of mediabox / grommet:** Not applicable

---

## Sustainability

- VOC Testing – we make sure that our furniture is safe for both the environment and the users. Ogi desks are tested for the presence of Volatile Organic Compounds using the chamber method in accordance with PN-EN ISO 16000-9.
  - Formaldehyde Testing – to meet the highest standards, we are constantly improving our production methods and the raw materials used. The levels of formaldehyde emission in our desks are now significantly below the requirements in accordance with the PN-EN 717-1:2006.
  - Safety, strength and durability – we believe in creating durable and timeless furniture. All desks in the Ogi family comply with the PN-EN 527-2+A1:2019-08.
  - Sustainable production – we are not indifferent to the environmental impact of our furniture, therefore we provide the essential information on the life cycle of Ogi desks through the Environmental Product Declaration (EPD).
  - Sustainable production – we are not indifferent to the environmental impact of our furniture, therefore we provide the essential information on the life cycle of our products through the Environmental Product Declarations (EPD).
- 

## Material composition & packaging

- MFC: 67%
- Wood: 3%
- Steel: 24%
- Plastic: 2%
- Cardboard: 4%

\*average values for a representative of the group.

---

## Recycled content

63%

---

## Recyclability

---

- Recycling: 37%
- Downcycling: 63%

\*average values for a representative of the group.

---

## Packaging

Materials: cardboard

Recyclability: 100%