


Composition with table

Version:	Monocolor: Full composition in monocolour. Bicolor: colour 1 outer modules, colour 2 inner modules.
----------	--




Box gross weight 55,7 kg – Vol. box 1,86 m³

Right curved module – mod. 1755S

Version:	Monocolor: Full composition in monocolour. Bicolor: colour 1 outer modules, colour 2 inner modules.
Structure:	Plywood inner structure. 25-40 kg/m ³ density fire retardant polyurethane foam.
Base:	Black PU gliders.
Accessories:	00P – without sockets. 08P – 2 x USB ports on the seat.






Box gross weight 55,7 kg – Vol. box 1,86 m³

Right curved module – mod. 1756S

Version:	Monocolor: Full composition in monocolor. Bicolor: colour 1 outer modulles, colour 2 inner modules.
Structure:	Plywood inner structure. 25-40kg/m³ density fire retardant polyurethane foam.
Base:	Black PU gliders.
Accessories:	00P – without sockets. 08P – 2 x USB ports on the seat.



Box gross weight 31,1 kg – Vol. box 1,06 m³

Connection panel – mod. 1757S

Version:	Monocolor: Full composition in monocolour. Bicolor: colour 1 outer modules, colour 2 inner modules.
Structure:	25-40 kg/m ³ density fire retardant polyurethane foam padding.
Accessories:	00P – Without sockets.

07P – With sockets.



EU socket (VDE) + usb port → **IT**





CH socket + USB port → **CH**



UK socket + USB port → **GB**



27P – Monitor bracket with socket.





Box gross weight 50,1 kg – Vol. box 1,86 m³

Connection panel with seat – mod. 1758S

Version:	Monocolor: Full composition in monocolour. Bicolor: colour 1 outer modules, colour 2 inner modules.
Structure:	Plywood inner structure. 25-40 kg/m³ density fire retardant polyurethane foam.
Base:	Black PU gliders. <div></div>
Accessories:	00P – without sockets. 08P – 2 x USB ports on the seat. <div></div>




Box gross weight 50,1 kg – Vol. box 1,86 m³

Round table – mod. 1941S


Structure: **BT007** - ø120 mm cylindrical powder coated metal tube, ø700 mm flat base.

Top: ø 1300 mm, 25mm thickness melamine top..See top colour chart.

Base colour chart:




. **N** – signal black
RAL 9004




. **W** – signal white
RAL 9003


Top colour chart:



. **N** – signal black
RAL 9004




. **W** – signal white
RAL 9003



Composition with double access


Version:	Monocolor: Full composition in monocolour. Bicolor: colour 1 outer modules, colour 2 inner modules.
----------	--



Box gross weight 55,7 kg – Vol. box 1,86 m³

Right/Left curved module – mod. 1519S

Version:	Monocolor: Full composition in monocolour. Bicolor: colour 1 outer modules, colour 2 inner modules.
Structure:	Plywood inner structure. 25-40 kg/m ³ density fire retardant polyurethane foam.
Base:	Black PU gliders.
Accessories:	00P – without sockets. 08P – 2 x USB ports on the seat.




Box gross weight 50,1 kg – Vol. box 1,86 m³

Round table – mod. 1941S


Structure: **BT007** - ø120 mm cylindrical powder coated metal tube, ø700 mm flat base.

Top: ø 1300 mm, 25mm thickness melamine top..See top colour chart.

Base colour chart:




. **N** – signal black
RAL 9004




. **W** – signal white
RAL 9003

Top colour chart:



. **N** – signal black
RAL 9004



. **W** – signal white
RAL 9003